

## Machine description

Ref.no. 3804

Manufacturer: CNC lathe WEILER E 90 x 4500

Manufact. year: 2013

Machine no. GD01

### Tekniska data

|                                                   |                                   |
|---------------------------------------------------|-----------------------------------|
| Turning diameter (mm):                            | Spindle speed (rpm): 1-700        |
| Turning length (mm): 4500                         | Spindle nose:                     |
| Tool changer (type/number of tools): Sauter/4 pos | Spindle bore (mm): 262            |
| Tool holder (type):                               | Max bar capacity (mm):            |
| Live tooling (number axial/radial):               | Motor power (kW): 45/37           |
| Control system:                                   | Feed length/cross (mm/rev): 0-20  |
| /manufacturer/model): 900                         | Rapid traverse (m/min): Z 7/X 3,5 |
| Swing over bed (mm):                              | Total power requirement (kW):     |
| Swing over cross slide (mm): 530                  |                                   |


### Accessories

Borrstångsenhet för dia upptill 140 mm  
 850 mm pneumatisk chuck  
 Stödlager 30-400 mm  
 Stödlager 300-600 mm

### Comments

This information is to the best of our knowledge - but is not binding in detail















**WEILER** WEILER GmbH  
Maukdorf 48  
91448 Emskirchen  
Germany / Allemagne

|                                       |                                                                                                  |             |
|---------------------------------------|--------------------------------------------------------------------------------------------------|-------------|
| Drehmaschine<br>Turning machine       | Modelltyp<br>Machine type                                                                        | E 90 X 4500 |
| Serial Number<br>Maschinen-Nr.        | GD 01                                                                                            |             |
| Year of construction<br>Baujahr       | 2011                                                                                             |             |
| Operating voltage<br>Betriebsspannung | V 400                                                                                            |             |
| Control voltage<br>Steuerspannung     | V 24 DC                                                                                          |             |
| Connected load<br>Anschlußleistung    | kVA 55                                                                                           |             |
| Nominal current<br>Nennstrom          | A 80                                                                                             |             |
| Frequency<br>Frequenz                 | Hz 50                                                                                            |             |
| Main fuses<br>Hauptsicherungen        | A 100                                                                                            |             |
| Weight of machine<br>Maschinengewicht | kg 10500                                                                                         |             |
| Machine group<br>Bauart (ISO23125)    | 2 - 3                                                                                            |             |
| Machine size<br>Baugröße (ISO23125)   | <input type="checkbox"/> klein <input checked="" type="checkbox"/> groß<br>small size large size |             |

Vor Inbetriebnahme die Benutzerinformation  
(Betriebsanleitung und Sicherheitshinweise)  
lesen und beachten !  
Prior to start-up read and observe the user information !  
operating instructions and safety rules !  
För igångsättning må brukarinformation (bruksanvisning  
og sikkerhetsanvisninger) leses og tas hensyn til.



